Notice of Allowability	Application No.	Applicant(s)
	10/600,130	KAY ET AL.
	Examiner	Art Unit
	Eric E. Silverman, PhD	1615
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>8-15-2006</u> .		
2. The allowed claim(s) is/are <u>1-48</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Dat 7. 🂢 Examiner's Amendn	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	nt of Reasons for Allowance
	9.	

Application/Control Number: 10/600,130

Art Unit: 1615

EXAMINER'S AMENDMENT

Page 2

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Iwanicki on 10-18-2006.

Claims 25 – 40 are rejoined to the application.

The application has been amended as follows:

Claim 1: on lines 2, 3, and 4 delete "compound of formula (I)

compound is" and insert ---- polyoxyethylene-polyoxypropylene-polyoxyethylene triblock copolymer wherein both terminal hydroxyl groups in the triblock copolymer have been replaced with terminal methoxy groups and wherein the polyoxyethylene-polyoxypropylene-polyoxyethylene triblock copolymer is ---- therefor.

Claim 5: on lines 1 and 2, delete "wherein a is about 101 and b is about 56" and insert -- wherein the degree of polymerization of the polyoxyproplylene block is about 101 and
the degree of polymerization of both polyoxyethylene blocks is about 56" therefor.

Application/Control Number: 10/600,130

Art Unit: 1615

Claim 25: on lines 4 and 5, delete "compound of formula (I)

polyoxyethylene-polyoxypropylene-polyoxyethylene triblock copolymer wherein both terminal hydroxyl groups in the triblock copolymer have been replaced with terminal methoxy groups --- therefor.

Claim 41: on lines 2, 3, and 4, delete "compound of formula (I)

wherein the compound

is" and insert ---- polyoxyethylene-polyoxypropylene-polyoxyethylene triblock copolymer wherein both terminal hydroxyl groups in the triblock copolymer have been replaced with terminal methoxy groups and wherein the polyoxyethylene-polyoxypropylene-polyoxyethylene triblock copolymer is ---- therefor.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric E. Silverman, PhD whose telephone number is 571 272 5549. The examiner can normally be reached on Monday to Friday 7:30 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward can be reached on 571 272 8373. The fax phone

Art Unit: 1615

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Eric E. Silverman, PhD Art Unit 1615

MTCHAEL P. WOODWARD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600